	Application No.	Applicant(s)
Notice of Allowability	09/943,967	AHMAD, SYED SAJID
	Examiner	Art Unit
	Michael Trinh	2822
Th MAILING DATE of this communication appears on th cover sh et with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to RCE request filed 12/01/2004.		
2. The allowed claim(s) is/are <u>1-89</u> .		
3. The drawings filed on 30 August 2001 are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application Nocuments have been received in	lo this national stage application from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		eply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0: Paper No./Mail Date 12/01/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Sumr Paper No./Mai 8), 7. ☐ Examiner's Am	il Date

Art Unit: 2822

DETAILED ACTION

*** This office action is in response to Applicant's RCE request December 01, 2004. Claims are 1-89 currently pending.

Allowable Subject Matter

- 1. Claims 1-89 are allowed.
- 2. The following is a statement of reasons for the indication of allowable subject matter:

Applicant's amendment and convincing remarks of record have overcome the rejections of record. The references including Sakai et al (5, 185,040), Abraham et al (5,907,246), Thomas (2,506,047), etc., of record, alone or in combination, do not fairly anticipatively disclose each and every aspect of the claimed method, or fairly make a prima facie obvious case of the claimed method, in combination with other processing claimed limitations as recited in base claims, the inclusion of at least providing a receptacle including at least one viscous material pool containing viscous material having an exposed surface extending upwardly to a height therein, providing at least one vertically adjust table stop proximate the receptacle, and positioning the at least one semiconductor element proximate the at least one vertically adjustable stop such that only a specific portion of the first surface the at least one semiconductor element contacts the exposed surface of the viscous material. Thomas

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael M. Trinh whose telephone number is (571) 272-1847. The examiner can normally be reached on M-F: 8:30 Am to 5:00 Pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amir Zarabian can be reached on (571) 272-1852. The fax phone numbers for the organization where this application proceeding is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Oacs-6

Michael Trinh Primary Examiner